



KARL L. KEITH
MONTGOMERY COUNTY AUDITOR

451 WEST THIRD STREET • P.O. BOX 972 • DAYTON, OH 45422

March 26, 2010

Mr. Dan Foley, President
Board of County Commissioners
County Administration Building
451 West Third Street
Dayton, OH 45422-110

Dear Mr. Foley:

At a special board meeting on March 26, 2010 meeting, the Automatic Data Processing Board unanimously approved the request from **Probate Court** for the purchase of enhancements to their case management system and the implementation of a new production server from **Proware**. The cost of the purchase would be **\$28,750.00**. Funding would come from Probate Court's Automation Fund.

The ADP Board also voted unanimously for approval of the request from the **Office of Emergency Management** to purchase 11 Mobile Terminals (MDTs) from **CDW-G** at a cost of **\$37,748.59**. This equipment is being purchased for Homeland Security Region III Law Enforcement Agencies as part of the FY 07 Law Enforcement Terrorism Prevention Program (LETPP) grant for Homeland Security Region III.

Lastly, the Board approved unanimously **Miami Valley Regional Crime Laboratory's** request to purchase DNA software enhancements to their STaCS-CW Enterprise software purchased in 2009 from **STaCSDNA**. The cost of the enhancements would be **\$40,846.51** and would be funded through the 2009 DNA Casework grant, OCA 258424.

Sincerely,

KARL L. KEITH, Secretary
Automatic Data Processing Board

Mr. Foley
Page 2
March 26, 2010

KLK/bru

Cc: ADP Board Members
James Alford, Data Processing Director
Debbie Andrews, Records Manager
Gayle Ingram, Clerk of Commission
Tim Nolan, OMB
John Cumming, Assistant Prosecuting Attorney
James Bayer, Director, Accounting
Sylvia Bowser, Accounting
Kris Louthan, Accounting
James Drubert, Common Pleas Court Administrator
Roy Sigritz, Purchasing Director
Angela Coe, OMB
Emily Jackson, Commissioner Dodge's Office
Shawn Waldman, Sheriff's Office
Amy S. Wiedeman, Administration
Jeff Jordan, OEM
Ken Betz, Crime Lab
Ginger Heuker, Probate Court